

Student Result

Student Name: Mahadevi Ramchandra Bhosale

Exam: Python Django Programming

Score: 0.0/0.0

Percentage: 0.00%

Question-wise Summary

Sr.no	Question	Selected Answer	Correct Answer
1	Who is considered as the creator of JAVA ?	<i>Not Answered</i>	James Gosling
2	Which one of the following is a valid identifier in java?	<i>Not Answered</i>	x1
3	Which of these selection statements test only for equality?	<i>Not Answered</i>	switch

4	Which of the following is true for variable names in C?	<i>Not Answered</i>	It is not an error to declare a variable to be one of the keywords (like goto, static)
5	What will be the output of the following C function? #include<stdio.h> int main() { int n; for(n = 10; n!=0; n--) printf("n = %d", n--); return 0; }	<i>Not Answered</i>	10 8 6 4 2
6	What will be the output of the following C code? #include<stdio.h> enum demo{i=10,j,k}; int main() { int i=51; printf("%d%d%d",i,j,k); }	<i>Not Answered</i>	511112

7	The sum of four numbers is 64. If you add 3 to the first number, 3 is subtracted from the second number, the third is multiplied by 3 and the fourth is divided by 3, then all the results are equal. What is the difference between the largest and the smallest of the original numbers?	Not Answered	32
---	---	---------------------	----

8	The arithmetic mean of 15 numbers is 41.4. Then the sum of these numbers is	<i>Not Answered</i>	621
9	The difference between two numbers is 10 and one-fifth of their sum is equal to 8. Find the smaller number	<i>Not Answered</i>	15
10	Which function returns the highest value in a range?	<i>Not Answered</i>	MAX
11	What is the shortcut to insert a new worksheet?	<i>Not Answered</i>	Shift + F11

12	How many worksheets are there in a new Excel file by default?	<i>Not Answered</i>	1
13	What is the unit digit in $[(6374)1793 \times (625)317 \times (341)491]$?	<i>Not Answered</i>	0
14	The average age of boys in a class is 16 years and that of the girls is 15 years. The average age for the whole class is	<i>Not Answered</i>	cannot be computed

15	The ratio between the present ages of P and Q is 5 : 7 respectively. If the difference between Q's present age and P's age after 6 years is 2, what is the total of P's and Q's present ages?	Not Answered	48 years
16	Which of the following statement is true?	Not Answered	In canvas, drawing is done with pixels
17	If POSTER is coded as 592314 and DARK is coded as 8647, then how will STROKE be coded as?	Not Answered	234971

18	Which tag is used to defines multiple media resources for media elements audio and video?	Not Answered	<source>
19	Identify the figure that completes the pattern.	Not Answered	(2)
20	The _____ element is used to render simple graphics such as line art, graphs, and other custom graphical elements on the client side.	Not Answered	canvas

21	Which of the following CSS Property controls how an element is positioned?	<i>Not Answered</i>	position
22	Which of the following property defines labels for a list of items?	<i>Not Answered</i>	list-style-type
23	Which attribute is used to specify that the script is executed when the page has finished parsing? (only for external scripts)	<i>Not Answered</i>	defer

24	What will be the output of the following JavaScript program? <pre>function advanto(javascript) { return (javascript ? "yes" : "no"); } bool ans=true; console.log(advanto(ans));</pre>	Not Answered	yes
25	Which of the following is used to update the state in functional components?	Not Answered	useState()
26	Identify the error in the following JSX: <pre><div>Hello World </div> <div>Welcome</div></pre>	Not Answered	Nothing is wrong
27	Which of the following is true about event handling in React?	Not Answered	All of the above

28	What is the primary purpose of a Resource Manager template?	<i>Not Answered</i>	To define the infrastructure for an Azure solution as code.
29	In Azure DevOps, what is a 'YAML pipeline' used for?	<i>Not Answered</i>	Defining CI/CD workflows
30	In Angular, which file is used to define the set of modules, components, and services?	<i>Not Answered</i>	app.module.ts
31	What is the output of the following Angular CLI command: ng g c my-component --flat?	<i>Not Answered</i>	A new component in the app folder

32	Which of these is an incorrect array declaration?	<i>Not Answered</i>	int arr[] = int [5] new
33	What will be the output of the following Java code? class array_output { public static void main(String args[]) { int array_variable [] = new int[10]; for (int i = 0; i < 10; ++i) { array_variable[i] = i; System.out.print(array_variable[i] + " "); i++; } } }	<i>Not Answered</i>	0 2 4 6 8
34	Power Query is used for:	<i>Not Answered</i>	Data Cleaning and Transformation
35	Tooltips in Power BI are used for	<i>Not Answered</i>	Showing additional details

36	What will be the output of the following C++ program? <pre>#include <iostream> using namespace std; int main() { int arr[3] = {10, 20, 30}; cout << arr[1]; return 0; }</pre>	Not Answered	20
37	What will be the output of the following C++ program? <pre>#include <iostream> using namespace std; class Box { public: int length; Box(int l) { length = l; } }; int main() { Box b(10); cout << b.length; return 0; }</pre>	Not Answered	10

38	Which of the following is the MOST effective technique when stakeholders are unaware of their actual needs?	<i>Not Answered</i>	Prototyping
39	Which stakeholder attribute is NOT typically included in stakeholder analysis grids?	<i>Not Answered</i>	Personality Type
40	Which of these classes is not part of Java's collection framework?	<i>Not Answered</i>	Array
41	Which of these interface handle sequences?	<i>Not Answered</i>	List

42	Grouping in Tableau allows you to:	<i>Not Answered</i>	Combine members into custom categories
43	Forecasting in Tableau uses:	<i>Not Answered</i>	Exponential smoothing models
44	Which type of Programming does Python support?	<i>Not Answered</i>	all of the mentioned
45	How do you pass data from a child component back up to a parent component	<i>Not Answered</i>	B) Using @Output() and an EventEmitter.