Student Result

Student Name: Shrisha Suresh Patil

Exam: Python Django Programming

Score: 0.0/0.0

Percentage: 0.00%

Question-wise Summary

| Sr.no | Question | Selected Answer | Correct Answer |
|-------|---|--------------------|-------------------|
| 1 | Who is considered as the creator of JAVA? | Not Answered | James Gosling |
| 2 | Which one of the following is a valid identifier in java? | Not Answered | x1 |
| 3 | Which of these selection statements test only for equality? | Not Answered | switch |

| 4 | Which of the following is true for variable names in C? | Not Answered | It is not an error to declare a variable to be one of the keywords(like goto, static) |
|---|---|-----------------|---|
| 5 | What will be the output of the following C function? #include <stdio.h> int main() { int n; for(n = 10; n!=0; n) printf("n = %d", n); return 0; }</stdio.h> | Not Answered | 10 8 6 4 2 |
| 6 | What will be the output of the following C code? #include <stdio.h> enum demo{i=10,j,k}; int main() { int i=51; printf("%d%d%d",i,j,k); }</stdio.h> | Not Answered | 511112 |

| 7 | The sum | Not | 32 |
|---|------------------------|----------|----|
| | of four | Answered | |
| | numbers | | |
| | is 64. If | | |
| | you add | | |
| | 3 to the | | |
| | first | | |
| | number, | | |
| | 3 is | | |
| | subtracted | | |
| | from the | | |
| | second | | |
| | number, | | |
| | the third | | |
| | is | | |
| | | | |
| | multiplied by 3 and | | |
| | the fourth | | |
| | is divided | | |
| | | | |
| | by 3, then all | | |
| | | | |
| | the | | |
| | results | | |
| | are | | |
| | equal. | | |
| | What is | | |
| | the | | |
| | difference | | |
| | between | | |
| | the | | |
| | largest | | |
| | and the | | |
| | smallest | | |
| | of the | | |
| | original | | |
| | numbers? | | |

| 8 | The arithmetic mean of 15 numbers is 41.4. Then the sum of these numbers is | Not Answered | 621 |
|----|--|-----------------|----------------|
| 9 | The difference between two numbers is 10 and one-fifth of their sum is equal to 8. Find the smaller number | Not Answered | 15 |
| 10 | Which function returns the highest value in a range? | Not Answered | MAX |
| 11 | What is the shortcut to insert a new worksheet? | Not Answered | Shift + F11 |

| 12 | How many worksheets are there in a new Excel file by default? | Not Answered | 1 |
|----|--|-----------------|--------------------------|
| 13 | What is the unit digit in [(6374)1793 × (625)317 × (341)491] ? | Not Answered | 0 |
| 14 | The average age of boys in a class is 16 years and that of the girls is 15 years. The average age for the whole class is | Not Answered | cannot be computed |

| 15 | The ratio between the present ages of P and Q is 5:7 respectively. If the difference between Q's present age and P's age after 6 years is 2, what is the total of P's and Q's present ages? | Not Answered | 48 years |
|----|---|-----------------|---|
| 16 | Which of the following statement is true? | Not Answered | In canvas, drawing is done with pixels |
| 17 | If POSTER is coded as 592314 and DARK is coded as 8647, then how will STROKE be coded as? | Not Answered | 234971 |

| 18 | Which tag is used to defines multiple media resources for media elements audio and video? | Not Answered | <source/> |
|----|--|-----------------|-----------|
| 19 | Identify the figure that completes the pattern. | Not Answered | (2) |
| 20 | The element is used to render simple graphics such as line art, graphs, and other custom graphical elements on the client side. | Not Answered | canvas |

| 21 | Which of the following CSS Property controls how an element is positioned? | Not Answered | position |
|----|--|-----------------|-----------------|
| 22 | Which of the following property defines labels for a list of items? | Not Answered | list-style-type |
| 23 | Which attribute is used to specify that the script is executed when the page has finished parsing? (only for external scripts) | Not Answered | defer |

| 24 | What will be the output of the following JavaScript program? function advanto(javascript) { return (javascript ? "yes": "no"); } bool ans=true; console.log(advante | | yes |
|----|---|-----------------|------------------------|
| 25 | Which of the following is used to update the state in functional components? | Not Answered | useState() |
| 26 | Identify the error in the following JSX: <div>Hello World </div> <div>Welcome<td>Not Answered</td><td>Nothing is wrong</td></div> | Not Answered | Nothing is wrong |
| 27 | Which of the following is true about event handling in React? | Not Answered | All of the above |

| | | ı | |
|----|--|-----------------|---|
| 28 | What is the primary purpose of a Resource Manager template? | Not Answered | To define the infrastructure for an Azure solution as code. |
| 29 | In Azure DevOps, what is a 'YAML pipeline' used for? | Not Answered | Defining CI/CD workflows |
| 30 | In Angular, which file is used to define the set of modules, components, and services? | Not Answered | app.module.ts |
| 31 | What is the output of the following Angular CLI command: ng g c my-componentflat? | Not Answered | A new component in the app folder |

| 32 | Which of these is an incorrect array declaration? | Not Answered | int arr[] = int [5] new |
|----|---|-----------------|---|
| 33 | What will be the output of the following Java code? class array_output { public static void main(String args[]) { int array_variable [] = new int[10]; for (int i = 0; i < 10; ++i) { array_variable[i] = i; System.out.print(ar + " "); i++; } } | Not Answered | 02468 |
| 34 | Power Query is used for: | Not Answered | Data Cleaning and Transformation |
| 35 | Tooltips in Power BI are used for | Not Answered | Showing additional details |

| 36 | What will be the output of the following C++ program? #include <iostream> using namespace std; int main() { int arr[3] = {10, 20, 30}; cout << arr[1]; return 0; }</iostream> | Not Answered | 20 |
|----|---|-----------------|----|
| 37 | What will be the output of the following C++ program? #include <iostream> using namespace std; class Box { public: int length; Box(int I) { length = I; } }; int main() { Box b(10); cout << b.length; return 0; }</iostream> | Not Answered | 10 |

| 38 | Which of the following is the MOST effective technique when stakeholders are unaware of their actual needs? | Not Answered | Prototyping |
|----|---|-----------------|---------------------|
| 39 | Which stakeholder attribute is NOT typically included in stakeholder analysis grids? | Not Answered | Personality Type |
| 40 | Which of these classes is not part of Java's collection framework? | Not Answered | Array |
| 41 | Which of these interface handle sequences? | Not Answered | List |

| 42 | Grouping in Tableau allows you to: | Not Answered | Combine members into custom categories |
|----|---|-----------------|--|
| 43 | Forecasting in Tableau uses: | Not Answered | Exponential smoothing models |
| 44 | Which type of Programming does Python support? | Not Answered | all of the mentioned |
| 45 | How do you pass data from a child component back up to a parent component | Not Answered | B) Using @Output() and an EventEmitter. |