

## Student Result

**Student Name:** Shrisha Suresh Patil

**Exam:** Python Django Programming

**Score:** 0.0/0.0

**Percentage:** 0.00%

### Question-wise Summary

| Sr.no | Question                                                    | Selected Answer     | Correct Answer       |
|-------|-------------------------------------------------------------|---------------------|----------------------|
| 1     | Who is considered as the creator of JAVA ?                  | <i>Not Answered</i> | <b>James Gosling</b> |
| 2     | Which one of the following is a valid identifier in java?   | <i>Not Answered</i> | <b>x1</b>            |
| 3     | Which of these selection statements test only for equality? | <i>Not Answered</i> | <b>switch</b>        |

|   |                                                                                                                                                                              |                     |                                                                                               |
|---|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|-----------------------------------------------------------------------------------------------|
| 4 | Which of the following is true for variable names in C?                                                                                                                      | <i>Not Answered</i> | <b>It is not an error to declare a variable to be one of the keywords (like goto, static)</b> |
| 5 | What will be the output of the following C function?<br>#include<stdio.h><br>int<br>main() {<br>int n;<br>for(n = 10; n!=0; n--)<br>printf("n = %d", n--);<br>return 0;<br>} | <i>Not Answered</i> | <b>10 8 6 4 2</b>                                                                             |
| 6 | What will be the output of the following C code?<br>#include<stdio.h><br>enum<br>demo{i=10,j,k};<br>int main()<br>{ int i=51;<br>printf("%d%d%d",i,j,k);<br>}                | <i>Not Answered</i> | <b>511112</b>                                                                                 |

|   |                                                                                                                                                                                                                                                                                                   |                     |    |
|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|----|
| 7 | <p>The sum of four numbers is 64. If you add 3 to the first number, 3 is subtracted from the second number, the third is multiplied by 3 and the fourth is divided by 3, then all the results are equal. What is the difference between the largest and the smallest of the original numbers?</p> | <p>Not Answered</p> | 32 |
|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|----|

|    |                                                                                                            |                     |                    |
|----|------------------------------------------------------------------------------------------------------------|---------------------|--------------------|
| 8  | The arithmetic mean of 15 numbers is 41.4. Then the sum of these numbers is                                | <i>Not Answered</i> | <b>621</b>         |
| 9  | The difference between two numbers is 10 and one-fifth of their sum is equal to 8. Find the smaller number | <i>Not Answered</i> | <b>15</b>          |
| 10 | Which function returns the highest value in a range?                                                       | <i>Not Answered</i> | <b>MAX</b>         |
| 11 | What is the shortcut to insert a new worksheet?                                                            | <i>Not Answered</i> | <b>Shift + F11</b> |

|    |                                                                                                                          |              |                    |
|----|--------------------------------------------------------------------------------------------------------------------------|--------------|--------------------|
| 12 | How many worksheets are there in a new Excel file by default?                                                            | Not Answered | 1                  |
| 13 | What is the unit digit in [(6374)1793 × (625)317 × (341)491] ?                                                           | Not Answered | 0                  |
| 14 | The average age of boys in a class is 16 years and that of the girls is 15 years. The average age for the whole class is | Not Answered | cannot be computed |

|    |                                                                                                                                                                                                      |              |                                               |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|-----------------------------------------------|
| 15 | <p>The ratio between the present ages of P and Q is 5 : 7 respectively. If the difference between Q's present age and P's age after 6 years is 2, what is the total of P's and Q's present ages?</p> | Not Answered | <b>48 years</b>                               |
| 16 | <p>Which of the following statement is true?</p>                                                                                                                                                     | Not Answered | <b>In canvas, drawing is done with pixels</b> |
| 17 | <p>If POSTER is coded as 592314 and DARK is coded as 8647, then how will STROKE be coded as?</p>                                                                                                     | Not Answered | <b>234971</b>                                 |

|    |                                                                                                                                       |              |          |
|----|---------------------------------------------------------------------------------------------------------------------------------------|--------------|----------|
| 18 | Which tag is used to defines multiple media resources for media elements audio and video?                                             | Not Answered | <source> |
| 19 | Identify the figure that completes the pattern.                                                                                       | Not Answered | (2)      |
| 20 | The _____ element is used to render simple graphics such as line art, graphs, and other custom graphical elements on the client side. | Not Answered | canvas   |

|    |                                                                                                                                |                     |                        |
|----|--------------------------------------------------------------------------------------------------------------------------------|---------------------|------------------------|
| 21 | Which of the following CSS Property controls how an element is positioned?                                                     | <i>Not Answered</i> | <b>position</b>        |
| 22 | Which of the following property defines labels for a list of items?                                                            | <i>Not Answered</i> | <b>list-style-type</b> |
| 23 | Which attribute is used to specify that the script is executed when the page has finished parsing? (only for external scripts) | <i>Not Answered</i> | <b>defer</b>           |

|    |                                                                                                                                                                                               |              |                  |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|------------------|
| 24 | <p>What will be the output of the following JavaScript program?</p> <pre>function advanto(javascript) { return (javascript ? "yes" : "no"); } bool ans=true; console.log(advanto(ans));</pre> | Not Answered | yes              |
| 25 | <p>Which of the following is used to update the state in functional components?</p>                                                                                                           | Not Answered | useState()       |
| 26 | <p>Identify the error in the following JSX:</p> <pre>&lt;div&gt;Hello World &lt;/div&gt; &lt;div&gt;Welcome&lt;/div&gt;</pre>                                                                 | Not Answered | Nothing is wrong |
| 27 | <p>Which of the following is true about event handling in React?</p>                                                                                                                          | Not Answered | All of the above |

|    |                                                                                         |                     |                                                             |
|----|-----------------------------------------------------------------------------------------|---------------------|-------------------------------------------------------------|
| 28 | What is the primary purpose of a Resource Manager template?                             | <i>Not Answered</i> | To define the infrastructure for an Azure solution as code. |
| 29 | In Azure DevOps, what is a 'YAML pipeline' used for?                                    | <i>Not Answered</i> | Defining CI/CD workflows                                    |
| 30 | In Angular, which file is used to define the set of modules, components, and services?  | <i>Not Answered</i> | app.module.ts                                               |
| 31 | What is the output of the following Angular CLI command:<br>ng g c my-component --flat? | <i>Not Answered</i> | A new component in the app folder                           |

|    |                                                                                                                                                                                                                                                                                                                             |                     |                                                     |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|-----------------------------------------------------|
| 32 | Which of these is an incorrect array declaration?                                                                                                                                                                                                                                                                           | <i>Not Answered</i> | <b>int arr[]<br/>= int [5]<br/>new</b>              |
| 33 | What will be the output of the following Java code?<br>class<br>array_output<br>{ public<br>static<br>void<br>main(String<br>args[]) {<br>int<br>array_variable<br>[] = new<br>int[10];<br>for (int i =<br>0; i < 10;<br>++i) {<br>array_variable[i]<br>= i;<br>System.out.print(array_variable[i]<br>+ " ");<br>i++; } } } | <i>Not Answered</i> | <b>0 2 4 6 8</b>                                    |
| 34 | Power Query is used for:                                                                                                                                                                                                                                                                                                    | <i>Not Answered</i> | <b>Data<br/>Cleaning<br/>and<br/>Transformation</b> |
| 35 | Tooltips in Power BI are used for                                                                                                                                                                                                                                                                                           | <i>Not Answered</i> | <b>Showing<br/>additional<br/>details</b>           |

|    |                                                                                                                                                                                                                                                                      |                     |    |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|----|
| 36 | <p>What will be the output of the following C++ program?</p> <pre>#include &lt;iostream&gt; using namespace std; int main() {     int arr[3] = {10, 20, 30};     cout &lt;&lt; arr[1];     return 0; }</pre>                                                         | <p>Not Answered</p> | 20 |
| 37 | <p>What will be the output of the following C++ program?</p> <pre>#include &lt;iostream&gt; using namespace std; class Box { public:     int length;     Box(int l) { length = l; } }; int main() {     Box b(10);     cout &lt;&lt; b.length;     return 0; }</pre> | <p>Not Answered</p> | 10 |

|    |                                                                                                             |                     |                         |
|----|-------------------------------------------------------------------------------------------------------------|---------------------|-------------------------|
| 38 | Which of the following is the MOST effective technique when stakeholders are unaware of their actual needs? | <i>Not Answered</i> | <b>Prototyping</b>      |
| 39 | Which stakeholder attribute is NOT typically included in stakeholder analysis grids?                        | <i>Not Answered</i> | <b>Personality Type</b> |
| 40 | Which of these classes is not part of Java's collection framework?                                          | <i>Not Answered</i> | <b>Array</b>            |
| 41 | Which of these interface handle sequences?                                                                  | <i>Not Answered</i> | <b>List</b>             |

|    |                                                                           |                     |                                                |
|----|---------------------------------------------------------------------------|---------------------|------------------------------------------------|
| 42 | Grouping in Tableau allows you to:                                        | <i>Not Answered</i> | <b>Combine members into custom categories</b>  |
| 43 | Forecasting in Tableau uses:                                              | <i>Not Answered</i> | <b>Exponential smoothing models</b>            |
| 44 | Which type of Programming does Python support?                            | <i>Not Answered</i> | <b>all of the mentioned</b>                    |
| 45 | How do you pass data from a child component back up to a parent component | <i>Not Answered</i> | <b>B) Using @Output() and an EventEmitter.</b> |