

Student Result

Student Name: Sanskruti Kadam

Exam: Python Django Programming

Score: 0.0/0.0

Percentage: 0.00%

Question-wise Summary

Sr.no	Question	Selected Answer	Correct Answer
1	Who is considered as the creator of JAVA ?	<i>Not Answered</i>	James Gosling
2	Which one of the following is a valid identifier in java?	<i>Not Answered</i>	x1
3	Which of these selection statements test only for equality?	<i>Not Answered</i>	switch

4	<p>Which of the following is true for variable names in C?</p>	<p><i>Not Answered</i></p>	<p>It is not an error to declare a variable to be one of the keywords(like goto, static)</p>
5	<p>What will be the output of the following C function?</p> <pre>#include<stdio.h> int main() { int n; for(n = 10; n!=0; n--) printf("n =%d", n--); return 0; }</pre>	<p><i>Not Answered</i></p>	<p>10 8 6 4 2</p>
6	<p>What will be the output of the following C code?</p> <pre>#include<stdio.h> enum demo{i=10,j,k}; int main() { int i=51; printf("%d%d%d",i,j,k); }</pre>	<p><i>Not Answered</i></p>	<p>511112</p>

7

The sum of four numbers is 64. If you add 3 to the first number, 3 is subtracted from the second number, the third is multiplied by 3 and the fourth is divided by 3, then all the results are equal. What is the difference between the largest and the smallest of the original numbers?

*Not
Answered*

32

8	<p>The arithmetic mean of 15 numbers is 41.4. Then the sum of these numbers is</p>	<i>Not Answered</i>	621
9	<p>The difference between two numbers is 10 and one-fifth of their sum is equal to 8. Find the smaller number</p>	<i>Not Answered</i>	15
10	<p>Which function returns the highest value in a range?</p>	<i>Not Answered</i>	MAX
11	<p>What is the shortcut to insert a new worksheet?</p>	<i>Not Answered</i>	Shift + F11

12	<p>How many worksheets are there in a new Excel file by default?</p>	<p><i>Not Answered</i></p>	1
13	<p>What is the unit digit in $[(6374)1793 \times (625)317 \times (341)491]?$</p>	<p><i>Not Answered</i></p>	0
14	<p>The average age of boys in a class is 16 years and that of the girls is 15 years. The average age for the whole class is</p>	<p><i>Not Answered</i></p>	cannot be computed

15	<p>The ratio between the present ages of P and Q is 5 : 7 respectively. If the difference between Q's present age and P's age after 6 years is 2, what is the total of P's and Q's present ages?</p>	<p><i>Not Answered</i></p>	<p>48 years</p>
16	<p>Which of the following statement is true?</p>	<p><i>Not Answered</i></p>	<p>In canvas, drawing is done with pixels</p>
17	<p>If POSTER is coded as 592314 and DARK is coded as 8647, then how will STROKE be coded as?</p>	<p><i>Not Answered</i></p>	<p>234971</p>

18	<p>Which tag is used to defines multiple media resources for media elements audio and video?</p>	<p><i>Not Answered</i></p>	<p><source></p>
19	<p>Identify the figure that completes the pattern.</p>	<p><i>Not Answered</i></p>	<p>(2)</p>
20	<p>The _____ element is used to render simple graphics such as line art, graphs, and other custom graphical elements on the client side.</p>	<p><i>Not Answered</i></p>	<p>canvas</p>

21	<p>Which of the following CSS Property controls how an element is positioned?</p>	<p><i>Not Answered</i></p>	<p>position</p>
22	<p>Which of the following property defines labels for a list of items?</p>	<p><i>Not Answered</i></p>	<p>list-style-type</p>
23	<p>Which attribute is used to specify that the script is executed when the page has finished parsing? (only for external scripts)</p>	<p><i>Not Answered</i></p>	<p>defer</p>

24	<p>What will be the output of the following JavaScript program?</p> <pre>function advanto(javascript) { return (javascript ? "yes" : "no"); } bool ans=true; console.log(advanto(ans));</pre>	<i>Not Answered</i>	yes
25	<p>Which of the following is used to update the state in functional components?</p>	<i>Not Answered</i>	useState()
26	<p>Identify the error in the following JSX:</p> <pre><div>Hello World </div> <div>Welcome</div></pre>	<i>Not Answered</i>	Nothing is wrong
27	<p>Which of the following is true about event handling in React?</p>	<i>Not Answered</i>	All of the above

28	<p>What is the primary purpose of a Resource Manager template?</p>	<p><i>Not Answered</i></p>	<p>To define the infrastructure for an Azure solution as code.</p>
29	<p>In Azure DevOps, what is a 'YAML pipeline' used for?</p>	<p><i>Not Answered</i></p>	<p>Defining CI/CD workflows</p>
30	<p>In Angular, which file is used to define the set of modules, components, and services?</p>	<p><i>Not Answered</i></p>	<p>app.module.ts</p>
31	<p>What is the output of the following Angular CLI command: <code>ng g c my-component --flat?</code></p>	<p><i>Not Answered</i></p>	<p>A new component in the app folder</p>

32	<p>Which of these is an incorrect array declaration?</p>	<p><i>Not Answered</i></p>	<p>int arr[] = int [5] new</p>
33	<p>What will be the output of the following Java code?</p> <pre>class array_output { public static void main(String args[]) { int array_variable [] = new int[10]; for (int i = 0; i < 10; ++i) { array_variable[i] = i; System.out.print(array_variable[i] + " "); i++; } } }</pre>	<p><i>Not Answered</i></p>	<p>0 2 4 6 8</p>
34	<p>Power Query is used for:</p>	<p><i>Not Answered</i></p>	<p>Data Cleaning and Transformation</p>
35	<p>Tooltips in Power BI are used for</p>	<p><i>Not Answered</i></p>	<p>Showing additional details</p>

36	<p>What will be the output of the following C++ program?</p> <pre>#include <iostream> using namespace std; int main() { int arr[3] = {10, 20, 30}; cout << arr[1]; return 0; }</pre>	<p><i>Not Answered</i></p>	20
37	<p>What will be the output of the following C++ program?</p> <pre>#include <iostream> using namespace std; class Box { public: int length; Box(int l) { length = l; } }; int main() { Box b(10); cout << b.length; return 0; }</pre>	<p><i>Not Answered</i></p>	10

38	<p>Which of the following is the MOST effective technique when stakeholders are unaware of their actual needs?</p>	<i>Not Answered</i>	Prototyping
39	<p>Which stakeholder attribute is NOT typically included in stakeholder analysis grids?</p>	<i>Not Answered</i>	Personality Type
40	<p>Which of these classes is not part of Java's collection framework?</p>	<i>Not Answered</i>	Array
41	<p>Which of these interface handle sequences?</p>	<i>Not Answered</i>	List

42	Grouping in Tableau allows you to:	<i>Not Answered</i>	Combine members into custom categories
43	Forecasting in Tableau uses:	<i>Not Answered</i>	Exponential smoothing models
44	Which type of Programming does Python support?	<i>Not Answered</i>	all of the mentioned
45	How do you pass data from a child component back up to a parent component	<i>Not Answered</i>	B) Using @Output() and an EventEmitter.