

## Student Result

**Student Name:** sayali ghatge

**Exam:** TEST-MODE

**Score:** 0.0/5.0

**Percentage:** 0.00%

### Question-wise Summary

Sr.no	Question	Selected Answer	Correct Answer
1	JRE stands for	<i>Not Answered</i>	<b>Java Runtime Environment</b>
2	JVM is _____ for bytecode	<i>Not Answered</i>	<b>none of the above</b>
3	Which one of the following is a jump statement in java?	<i>Not Answered</i>	<b>break</b>
4	Which of these selection statements test only for equality?	<i>Not Answered</i>	<b>switch</b>

5	<p>How many number of pointer (*) does C have against a pointer variable declaration?</p>	<p><i>Not Answered</i></p>	<p><b>No Limits</b></p>
6	<p>What will be the output of the following C function?</p> <pre>#include&lt;stdio.h&gt; #define scanf "%s C Programming Language " main() { printf(scanf, scanf); return 0; }</pre>	<p><i>Not Answered</i></p>	<p><b>%s C Programming Language C Programming Language</b></p>

7

Eight  
year ago,  
Poorvi's  
age was  
equal to  
the sum  
of the  
present  
ages of  
her one  
son and  
one  
daughter.

Five  
years  
hence,  
the  
respective  
ratio  
between  
the ages  
of her  
daughter  
and her  
son that  
time will  
be 7 : 6.

If  
Poorvi's  
husband  
is 7 years  
elder to  
her and  
his  
present  
age is  
three  
times the  
present  
age of  
their son,  
what is  
the  
present  
age of  
the  
daughter?  
(in years)

*Not  
Answered*

**23years**

8

What is wrong with this lifecycle method usage?

```
componentDidMount()
{
  this.setState({value: this.props.initialValue});
}
```

*Not Answered*

**Props should not be used to set state**