

Student Result

Student Name: Anand

Exam: TEST-MODE

Score: 0.0/8.0

Percentage: 0.00%

Question-wise Summary

Sr.no	Question	Selected Answer	Correct Answer
1	JRE stands for	<i>Not Answered</i>	Java Runtime Environment
2	JVM is _____ for bytecode	<i>Not Answered</i>	none of the above
3	Which one of the following is a jump statement in java?	<i>Not Answered</i>	break
4	Which of these selection statements test only for equality?	<i>Not Answered</i>	switch

5	<p>How many number of pointer (*) does C have against a pointer variable declaration?</p>	<p><i>Not Answered</i></p>	<p>No Limits</p>
6	<p>What will be the output of the following C function?</p> <pre>#include<stdio.h> #define scanf "%s C Programming Language " main() { printf(scanf, scanf); return 0; }</pre>	<p><i>Not Answered</i></p>	<p>%s C Programming Language C Programming Language</p>

7

Eight
year ago,
Poorvi's
age was
equal to
the sum
of the
present
ages of
her one
son and
one
daughter.
Five
years
hence,
the
respective
ratio
between
the ages
of her
daughter
and her
son that
time will
be 7 : 6.
If
Poorvi's
husband
is 7 years
elder to
her and
his
present
age is
three
times the
present
age of
their son,
what is
the
present
age of
the
daughter?
(in years)

*Not
Answered*

23years

8

What is wrong with this lifecycle method usage?

```
componentDidMount()
{
  this.setState({value: this.props.initialValue});
}
```

Not Answered

Props should not be used to set state