

Student Result

Student Name: Ankit Pradhan

Exam: DATABASE

Score: 3.0/25.0

Percentage: 12.00%

Question-wise Summary

Sr.no	Question	Selected Answer	Correct Answer
1	Which of the following is NOT a valid keyword in SQL?	INCLUDE	INCLUDE
2	Which of the following is basis for SQL?	RDBMS	RDBMS
3	Which statement(s) are mandatory in a simple SQL SELECT statement?	Select, From	Select, From

4	Which of the following is a default join type?	<i>Not Answered</i>	Inner join
5	Which of the following command is used to create a database in SQL?	<i>Not Answered</i>	CREATE
6	Which of the following SQL statement selects only unique values from 'section' column of table 'school'?	<i>Not Answered</i>	SELECT DISTINCT section FROM school;
7	What is the full form of PL in PL/SQL?	<i>Not Answered</i>	Procedural Language

8	Which SQL keyword is used to sort the data returned by a SELECT statement?	Not Answered	Order By
9	The SQL LIKE operator is used in which of the following clause?	Not Answered	Where
10	In SQL, which of the following constraint is used to uniquely identify each record in a table?	Not Answered	PRIMARY KEY

11	Which of the following statement can be used to apply the PRIMARY KEY constraint to a column of an existing table?	Not Answered	ALTER TABLE TABLE_NAME ADD PRIMARY KEY (column_name);
12	A sub-program is called as which of the following when it does not return any value directly?	Not Answered	Procedures
13	In how many parts does a PL/SQL sub-program is divided into?	Not Answered	3

14	Which of the following are the 3 parameter modes for a procedure in PL/SQL?	<i>Not Answered</i>	IN, OUT, IN OUT
15	Which of the following keyword is used to call a standalone procedure?	<i>Not Answered</i>	EXECUTE
16	Which of the following is a default mode for a parameter when it's mode is not specified?	<i>Not Answered</i>	IN

17	The “ OR REPLACE” option in the definition of a function in PL/SQL is used to modify an existing function. The “ OR REPLACE” option in the definition of a function in PL/SQL is used to modify an existing function. a) True b) False	<i>Not Answered</i>	True
18	How many columns can be copied using a SELECT INTO statement?	<i>Not Answered</i>	Any number of columns

19	Aggregate functions can be used in the select list or the _____ clause of a select statement or subquery. They cannot be used in a _____ clause.	<i>Not Answered</i>	Having, where
20	Which of the following is not an aggregate function?	<i>Not Answered</i>	WITH
21	How many times does a statement/table level trigger is executed for each transaction?	<i>Not Answered</i>	1
22	Triggers are automatically executed. a) True b) False	<i>Not Answered</i>	True

23	In SQL, views can also call as which of the following?	<i>Not Answered</i>	Virtual Table
24	In SQL, which of the following statement can be used to create a view?	<i>Not Answered</i>	CREATE VIEW view_name AS SELECT column1, column2..... columnn FROM TABLE_NAME WHERE condition;
25	. Which of the following statement can be used to drop a view in SQL?	<i>Not Answered</i>	DROP VIEW view_name;