

Student Result

Student Name: Rohan

Exam: DATABASE

Score: 8.0/25.0

Percentage: 32.00%

Question-wise Summary

Sr.no	Question	Selected Answer	Correct Answer
1	Which of the following is NOT a valid keyword in SQL?	INCLUDE	INCLUDE
2	Which of the following is basis for SQL?	DBMS	RDBMS
3	Which statement(s) are mandatory in a simple SQL SELECT statement?	Select, From	Select, From

4	Which of the following is a default join type?	Inner join	Inner join
5	Which of the following command is used to create a database in SQL?	CREATE	CREATE
6	Which of the following SQL statement selects only unique values from 'section' column of table 'school'?	SELECT DISTINCT section FROM school;	SELECT DISTINCT section FROM school;
7	What is the full form of PL in PL/SQL?	Procedural Language	Procedural Language

8	Which SQL keyword is used to sort the data returned by a SELECT statement?	Group By	Order By
9	The SQL LIKE operator is used in which of the following clause?	Select	Where
10	In SQL, which of the following constraint is used to uniquely identify each record in a table?	PRIMARY KEY	PRIMARY KEY

11	Which of the following statement can be used to apply the PRIMARY KEY constraint to a column of an existing table?	ALTER TABLE TABLE_NAME column_name ADD PRIMARY KEY;	ALTER TABLE TABLE_NAME ADD PRIMARY KEY (column_name);
12	A sub-program is called as which of the following when it does not return any value directly?	Procedures	Procedures
13	In how many parts does a PL/SQL sub-program is divided into?	<i>Not Answered</i>	3

14	Which of the following are the 3 parameter modes for a procedure in PL/SQL?	<i>Not Answered</i>	IN, OUT, IN OUT
15	Which of the following keyword is used to call a standalone procedure?	<i>Not Answered</i>	EXECUTE
16	Which of the following is a default mode for a parameter when it's mode is not specified?	<i>Not Answered</i>	IN

17	The “ OR REPLACE” option in the definition of a function in PL/SQL is used to modify an existing function. The “ OR REPLACE” option in the definition of a function in PL/SQL is used to modify an existing function. a) True b) False	<i>Not Answered</i>	True
18	How many columns can be copied using a SELECT INTO statement?	<i>Not Answered</i>	Any number of columns

19	Aggregate functions can be used in the select list or the _____ clause of a select statement or subquery. They cannot be used in a _____ clause.	<i>Not Answered</i>	Having, where
20	Which of the following is not an aggregate function?	<i>Not Answered</i>	WITH
21	How many times does a statement/table level trigger is executed for each transaction?	<i>Not Answered</i>	1
22	Triggers are automatically executed. a) True b) False	<i>Not Answered</i>	True

23	In SQL, views can also call as which of the following?	<i>Not Answered</i>	Virtual Table
24	In SQL, which of the following statement can be used to create a view?	<i>Not Answered</i>	CREATE VIEW view_name AS SELECT column1, column2..... columnn FROM TABLE_NAME WHERE condition;
25	. Which of the following statement can be used to drop a view in SQL?	<i>Not Answered</i>	DROP VIEW view_name;