

Student Result

Student Name: KUSHAL MAHESH AMRUTKAR

Exam: C++

Score: 1.0/45.0

Percentage: 2.22%

Question-wise Summary

Sr.no	Question	Selected Answer	Correct Answer
1	What will be the output of the following C++ program? #include <iostream> using namespace std; int main() { #include <cmath> cout << sqrt(25); return 0; }	Compilation error	Compilation error

2	What will be the output of the following C++ program? <pre>#include <iostream> using namespace std; int main() { cout << "Hello World"; return 0; }</pre>	<i>Not Answered</i>	Hello World
3	What will be the output of the following C++ program? <pre>#include <iostream> using namespace std; int main() { float x = 5.75; int y = 3; cout << x / y; return 0; }</pre>	<i>Not Answered</i>	1.91

4	What will be the output of the following program? <pre>#include <iostream> using namespace std; int main() { double d = 5.7; int i = static_cast<int>(d); cout << i; return 0; }</pre>	<i>Not Answered</i>	5
5	What will be the output of the following C++ program? <pre>#include <iostream> using namespace std; int main() { const int x = 10; x = 20; cout << x; return 0; }</pre>	<i>Not Answered</i>	Compilation Error

6	What will be the output of the following C++ code? <pre>#include <iostream> using namespace std; int main() { int x = 5, y = 3; cout << (x & y); return 0; }</pre>	<i>Not Answered</i>	1
7	What will be the output of the following program? <pre>#include <iostream> using namespace std; int main() { int x = 5; cout << ++x << " " << x++ << " " << " " << x; return 0; }</pre>	<i>Not Answered</i>	6 6 7

8	What will be the output of the following C++ program? <pre>#include <iostream> using namespace std; int main() { int x = 10, y = 20; if (x < y) { cout << "x is less than y"; } else if (x > y) { cout << "x is greater than y"; } else { cout << "x is equal to y"; } return 0; }</pre>	Not Answered	x is less than y
---	---	---------------------	-------------------------

9	What will be the output of the following C++ program? <pre>#include <iostream> using namespace std; int main() { for (int i = 0; i < 5; i++) { cout << i << " "; } return 0; }</pre>	Not Answered	0 1 2 3 4
10	What will be the output of the following C++ program? <pre>#include <iostream> using namespace std; int main() { for (int i = 0; i < 5; i++) { if (i == 3) { continue; } cout << i << " "; } return 0; }</pre>	Not Answered	0 1 2 4

11	What will be the output of the following C++ program? <pre>#include <iostream> using namespace std; void displayMessage() { cout << "Hello from function!"; } int main() { displayMessage(); return 0; }</pre>	<i>Not Answered</i>	Hello from function!
----	---	----------------------------	------------------------------------

12	What will be the output of the following C++ program? <pre>#include <iostream> using namespace std; void display(int a) { cout << "Integer: " << a; } void display(double a) { cout << "Double: " << a; } int main() { display(5); display(3.14); return 0; }</pre>	Not Answered	Integer: 5 Double: 3.14
----	--	---------------------	--

13	What will be the output of the following C++ program? <pre>#include <iostream> using namespace std; void greet(string name, string message = "Hello") { cout << message << ", " << name; } int main() { greet("Alice"); return 0; }</pre>	<i>Not Answered</i>	Hello, Alice
----	--	----------------------------	----------------------------

14	What will be the output of the following C++ program? <pre>#include <iostream> using namespace std; void countdown(int n) { if (n > 0) { cout << n << " "; countdown(n - 1); } } int main() { countdown(3); return 0; }</pre>	Not Answered	3 2 1
15	What will be the output of the following C++ program? <pre>#include <iostream> using namespace std; inline int square(int x) { return x * x; } int main() { cout << square(5); return 0; }</pre>	Not Answered	25

16	What will be the output of the following C++ program? <pre>#include <iostream> using namespace std; void displayMessage() { cout << "Function Pointer Example!"; } int main() { void (*funcPtr)() = displayMessage; funcPtr(); return 0; }</pre>	Not Answered	Function Pointer Example!
----	---	---------------------	---

17	What will be the output of the following C++ program? <pre>#include <iostream> using namespace std; int main() { auto add = [](int a, int b) { return a + b; }; cout << add(3, 4); return 0; }</pre>	Not Answered	7
18	What will be the output of the following C++ program? <pre>#include <iostream> using namespace std; int main() { int arr[3] = {10, 20, 30}; cout << arr[1]; return 0; }</pre>	Not Answered	20

19	What will be the output of the following C++ program? <pre>#include <iostream> using namespace std; int main() { int arr[2][3] = {{1, 2, 3}, {4, 5, 6}}; cout << arr[1][2]; return 0; }</pre>	<i>Not Answered</i>	6
----	--	----------------------------	---

20	What will be the output of the following C++ program? <pre>#include <iostream> using namespace std; void printArray(int arr[], int size) { for (int i = 0; i < size; i++) { cout << arr[i] << " "; } } int main() { int arr[3] = {1, 2, 3}; printArray(arr, 3); return 0; }</pre>	Not Answered	1 2 3
----	---	---------------------	-------

21	What will be the output of the following C++ program? <pre>#include <iostream> using namespace std; int main() { char str[] = "Hello"; cout << str; return 0; }</pre>	<i>Not Answered</i>	Hello
22	What will be the output of the following C++ program? <pre>#include <iostream> #include <string> using namespace std; int main() { string str = "C++ Programming"; cout << str.substr(4, 5); return 0; }</pre>	<i>Not Answered</i>	Prog

23	What will be the output of the following C++ program? <pre>#include <iostream> #include <cstring> using namespace std; int main() { char str1[] = "Hello"; char str2[] = "World"; strcat(str1, str2); cout << str1; return 0; }</pre>	Not Answered	HelloWorld
----	--	---------------------	-------------------

24	What will be the output of the following C++ program? <pre>#include <iostream> #include <sstream> using namespace std; int main() { stringstream ss; ss << "C++" << " " << 2024; string result = ss.str(); cout << result; return 0; }</pre>	Not Answered	C++ 2024
----	---	---------------------	---------------------

25	What will be the output of the following C++ program? <pre>#include <iostream> using namespace std; int main() { int num = 10; int* ptr = &num; cout << *ptr; return 0; }</pre>	Not Answered	10
26	What will be the output of the following C++ program? <pre>#include <iostream> using namespace std; int main() { int a = 20; int* p = &a; *p = 30; cout << a; return 0; }</pre>	Not Answered	30

27	What will be the output of the following C++ program? <pre>#include <iostream> using namespace std; int main() { int arr[3] = {1, 2, 3}; int* ptr = arr; cout << *(ptr + 1); return 0; }</pre>	Not Answered	2
28	What will be the output of the following C++ program? <pre>#include <iostream> using namespace std; int main() { int* ptr = new int(5); cout << *ptr; delete ptr; return 0; }</pre>	Not Answered	5

29	What will be the output of the following C++ program? <pre>#include <iostream> using namespace std; int main() { int* ptr = new int(10); // Memory leak, no delete return 0; }</pre>	<i>Not Answered</i>	No output, but there is a memory leak
30	What will be the output of the following C++ program? <pre>#include <iostream> #include <memory> using namespace std; int main() { unique_ptr<int> ptr(new int(100)); cout << *ptr; return 0; }</pre>	<i>Not Answered</i>	100

31	What will be the output of the following C++ program? <pre>#include <iostream> using namespace std; void displayMessage() { cout << "Hello from function pointer!"; } int main() { void (*funcPtr)() = displayMessage; funcPtr(); return 0; }</pre>	Not Answered	Hello from function pointer!
----	--	---------------------	-------------------------------------

32	What will be the output of the following C++ program? <pre>#include <iostream> using namespace std; int main() { const char* arr[] = {"Apple", "Banana", "Cherry"}; cout << arr[1]; return 0; }</pre>	<i>Not Answered</i>	Banana
----	--	----------------------------	----------------------

33

What will be the output of the following C++ program?

```
#include <iostream>
using namespace std;
void display(int a) { cout << a << " "; }
int main() { void (*funcPtr)(int) = display; int arr[3] = {10, 20, 30}; for (int i = 0; i < 3; i++) { funcPtr(arr[i]); } return 0; }
```

Not Answered

10 20 30

34	What will be the output of the following C++ program? <pre>#include <iostream> using namespace std; int main() { int arr[3] = {1, 2, 3}; int* ptr = arr; cout << *(ptr + 2); return 0; }</pre>	Not Answered	3
35	What will be the output of the following C++ program? <pre>#include <iostream> using namespace std; class MyClass { public: int x; MyClass() { x = 10; } }; int main() { MyClass obj; cout << obj.x; return 0; }</pre>	Not Answered	10

36

What will be the output of the following C++ program?

```
#include <iostream>
using namespace std;
class Rectangle
{ public:
    int length, width;
    Rectangle(int l, int w) {
        length = l; width = w; }
    int main() {
        Rectangle rect(5, 10);
        cout << rect.length << " " << rect.width;
        return 0;
    }
}
```

Not Answered

5 10

37	What will be the output of the following C++ program? <pre>#include <iostream> using namespace std; class Circle { public: double radius; void setRadius(double r) { radius = r; } double getArea() { return 3.14 * radius * radius; } }; int main() { Circle c; c.setRadius(5); cout << c.getArea(); return 0; }</pre>	Not Answered	78.5
----	--	---------------------	------

38	What will be the output of the following C++ program? <pre>#include <iostream> using namespace std; class Test { public: Test() { cout << "Constructor called" << endl; } ~Test() { cout << "Destructor called" << endl; } }; int main() { Test obj; return 0; }</pre>	Not Answered	Constructor called Destructor called
----	---	---------------------	---

39

What will be the output of the following C++ program?

```
#include <iostream>
using namespace std;
class MyClass
{ public:
  int value;
  MyClass()
  { value = 5; }
};
int main() {
  MyClass obj;
  cout << obj.value;
  return 0;
}
```

Not Answered

5

40	What will be the output of the following C++ program? <pre>#include <iostream> using namespace std; class Box { public: int length; Box(int l) { length = l; } }; int main() { Box b(10); cout << b.length; return 0; }</pre>	<i>Not Answered</i>	10
----	--	----------------------------	----

41	What will be the output of the following C++ program? <pre>#include <iostream> using namespace std; class Animal { public: void sound() { cout << "Animal Sound" << endl; } }; class Dog : public Animal { public: void bark() { cout << "Bark" << endl; } }; int main() { Dog d; d.sound(); d.bark(); return 0; }</pre>	Not Answered	Animal Sound Bark
----	---	---------------------	---------------------------------

42

What will be the output of the following C++ program?

```
#include <iostream>
using namespace std;
class Complex {
public:
    int real, imag;
    Complex() : real(0), imag(0) {}
    Complex operator + (const Complex& c) {
        Complex temp;
        temp.real = real + c.real;
        temp.imag = imag + c.imag;
        return temp;
    }
    void display() {
        cout << real << " + i" << imag << endl;
    }
};
int main() {
    Complex c1, c2;
    c1.real = 5;
    c1.imag = 3;
    c2.real = 2;
    c2.imag = 4;
    Complex c3 = c1 + c2;
    c3.display();
    return 0;
}
```

Not
Answered

7 + i7

43	What will be the output of the following C++ program? <pre>#include <iostream> using namespace std; int main() { int a = 5, b = 10; cout << (a + b) * (a > b) << endl; return 0; }</pre>	<i>Not Answered</i>	0
----	--	----------------------------	---

44	What will be the output of the following C++ program that checks for an out-of-bounds access on a 2D array? <pre>#include <iostream> using namespace std; int main() { int arr[2][2] = {{1, 2}, {3, 4}}; cout << arr[2][2] << endl; // Out of bounds return 0; }</pre>	<i>Not Answered</i>	Undefined behavior
----	---	----------------------------	----------------------------------

45	What will be the output of the following C++ program that reverses each word in a string? <pre>#include <iostream> #include <sstream> using namespace std; int main() { string str = "hello world"; stringstream ss(str); string word; while (ss >> word) { reverse(word.begin(), word.end()); cout << word << " "; } return 0; }</pre>	Not Answered	olleh dlrow
----	--	---------------------	--------------------