

Student Result

Student Name: Soniya

Exam: TEST-MODE

Score: 0.0/6.0

Percentage: 0.00%

Question-wise Summary

Sr.no	Question	Selected Answer	Correct Answer
1	JRE stands for	<i>Not Answered</i>	Java Runtime Environment
2	JVM is _____ for bytecode	<i>Not Answered</i>	none of the above
3	Which one of the following is a jump statement in java?	<i>Not Answered</i>	break
4	Which of these selection statements test only for equality?	<i>Not Answered</i>	switch

5	How many number of pointer (*) does C have against a pointer variable declaration?	<i>Not Answered</i>	No Limits
6	<p>What will be the output of the following C function?</p> <pre>#include<stdio.h> # define scanf "%s C Programming Language " main() { printf(scanf, scanf); return 0; }</pre>	<i>Not Answered</i>	%s C Programming Language C Programming Language

7	<p>Eight year ago, Poorvi's age was equal to the sum of the present ages of her one son and one daughter. Five years hence, the respective ratio between the ages of her daughter and her son that time will be 7 : 6. If Poorvi's husband is 7 years elder to her and his present age is three times the present age of their son, what is the present age of the daughter? (in years)</p>	<p>Not Answered</p>	<p>23years</p>
---	---	---------------------	----------------

8	<p>What is wrong with this lifecycle method usage?</p> <pre>componentDidMount() { this.setState({value: this.props.initialValue}); }</pre>	<p><i>Not Answered</i></p>	<p>Props should not be used to set state</p>
---	--	----------------------------	---